

FIG. 1




FIG. 2





FIG. 4






FIG. 3




FIG. 5




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D







FIG. 8











FIG. 12









FIG. 15A



WAVELENGTH (nm) FIG. 15B



WAVELENGTH (nm) FIG. 15C






FIG. 16




FIG. 17




FIG. 18






FIG. 19










FIG. 22



The state of the s






FIG. 24B AMPLIFICATION TIME (MINUTES)







FIG. 25




Y = mX + b $M \qquad N \qquad Cycles$ FIG. 27





The state of the s






FIG. 29




FIG. 30






FIG. 31










FIG. 33






FIG. 34










FIG. 36








FIG. 38

The state of the s

FIG. 39

Value of Standard					
Site	Sample Type	FAM	TET	TAM	
A1	STD	1000	100	10	
A2	STD	100	1000	0	
A3	STD	0	0	1000	
A4	STD	10	10	100	
A5	STD	100	10	1000	
A6	STD	1000	0	100 ·	
A7	STD	0	1000	0	
A8	STD	10	100	10	

FIG. 40

	Т	hreshold Va	alues:		
Site A1 A2 A3 A4 A5 A6 A7	Type STD STD STD STD STD STD STD STD	FAM 27.2 29.9 0 32.4 30.1 27.8 0	TET 28.1 25.1 0 30.8 31.2 0 24.9	TAM 29.1 0 22.8 25.8 23.2 26.2 0	
A8	STD	32.6	27.9	28.9	

FIG. 41

From the above data, the averages are obtained for each dye at each starting quantity **FAM TAM COPIES TET** 32.5 10 31 29 100 30 28 26 27.5 1000 25 23

FIG. 42




FIG. 43

Dye:	Threshold Value	Determined Quantity
FAM	29	251
TET	29	46
TAM	24	464

FIG. 44

Value of Standard					
Site	Type	FAM	TET	TAM	
A1	STD	1000	100	N/A	
A2	STD	100	1000	N/A	İ
A3	STD	0	0	N/A	
A4	STD	10	10	N/A	
A5	STD	100	10	N/A	
A6	STD	1000	0	N/A	
A7	STD	0	1000	N/A	
A8	STD	10	100	N/A	

FIG. 45

Threshold Values:					
Site	Type	FAM	TET	TAM	
A1	STD	27.2	28.1	29.1	
A2	STD	29.9	25.1	29.3	
A3	STD	0	0	29.2	
A4	STD	32.4	30.8	28.8	
A5	STD	30.1	31.2	28.7	
A6	STD	27.8	0	29.0	
A7	STD	0	24.9	29.1	
A8	STD	32.6	27.9	29.3	

FIG. 46

The threshold values for each standard are normalized to the QIC by dividing them by the threshold value of the QIC.

		Normalized	Threshold \	/alues:
Site	Sample Type	FAM	TET	TAM
A1	STD	0.934708	0.965636	29.1
A2	STD	1.020478	0.856655	29.3
A3	STD	0	0	29.2
A4	STD	1.125	1.069444	28.8
A 5	STD	1.04878	1.087108	28.7
A6	STD	0.958621	0	29.0
Α7	STD	0	0.85567	29.1
A8	STD	1.112628	0.952218	29.3

FIG. 47

START COPY	FAM	TET
10	1.118814	1.078276
100	1.034629	0.958927
1000	0.946664	0.856163

FIG. 48




FIG. 49

Dye:	Threshold	QIC	Ratio	Computed Concentration
FAM	29	28.8	1.006944	210
TET	30	28.8	1.041667	21

FIG. 50

			Value of S	Standard
Site	Sample Type	FAM	TET	TAM
A1	Unknown w ISTD	N/A	100	1000
A2	Unknown w ISTD	N/A	100	1000
A3	Unknown w ISTD	N/A	100	1000
A4	Unknown w ISTD	N/A	100	1000 °
A5	Unknown w ISTD	N/A	100	1000
A6	Unknown w ISTD	N/A	100	1000
A7	Unknown w ISTD	N/A	100	1000
A8	Unknown w ISTD	N/A	100	1000

FIG. 51

	Threshold Values:					
Site	Sample Type	FAM	TET	TAM		
A1	Unknown w ISTD	27.2	30.0	27.0		
A2	Unknown w ISTD	29.9	30.2	27.1		
A3	Unknown w ISTD	0	30.5	27.4		
A4	Unknown w ISTD	32.4	29.8	26.8		
A5	Unknown w ISTD	30.1	29.9	26.8		
A6	Unknown w ISTD	27.8	29.5	26.5		
A7	Unknown w ISTD	0	29.7	26.6		
A8	Unknown w ISTD	32.6	30.0	27.1		

FIG. 52

Start Qty	Threshold	Log Start Qty
100	30.2	2
1000	27.1	3

FIG. 53




FIG. 54